

Please amend the claims as follows:

Claims 1-12 (Canceled).

Claim 13 (New): An insulating glazing panel comprising:

at least two glass panes separated by a gas space;

a spacer configured to keep the two glass panes apart and including at least one approximately flat strip fitted at least partly around a perimeter of the glazing panel and fixed by adhesive bonding using a fastener,

wherein the strip is fitted substantially toward an interior of the glazing panel set back with respect to at least one end face of one of the glass panes and is adhesively bonded against at least one internal face of the one glass pane.

Claim 14 (New): The glazing panel as claimed in claim 13, wherein the fastener includes means for sealing with respect to the interior of the glazing panel.

Claim 15 (New): The glazing panel as claimed in claim 13, wherein the fastener covers, on an outside of the glazing panel, on an opposite side from the gas space, at least any respective edge of the strip that is contiguous with internal faces of the glass panes.

Claim 16 (New): The glazing panel as claimed in claim 13, wherein the fastener is placed along an end face of the strip that is placed against internal faces of the glass panes and extends toward the interior of the glazing panel on the gas space side.

Claim 17 (New): The glazing panel as claimed in claim 13, wherein the glass panes have, on at least one of their sides with the strip, their end faces level.

Claim 18 (New): The glazing panel as claimed in claim 13, wherein the glass panes have, on at least one of their sides with the strip, their end faces offset levelwise, one of the glass panes being larger than the other, and the strip rests via one of its end faces against the internal face of the larger of the glass panes and, via its opposite end face against the internal face of the other glass pane and level with the end face of the other glass pane or set back toward the interior of the glazing panel with respect to the end face of the other glass pane.

Claim 19 (New): The glazing panel as claimed in claim 13, wherein the glass panes have, on at least one of their sides with the strip, their end faces offset levelwise and the strip rests via its internal face against the end face of the glass pane offset toward the interior of the glazing panel and, via one of its end faces against the internal face of the other glass pane, the fastener covers the end face of the other glass pane offset toward the interior of the glazing panel and, the edge of the strip contiguous with the other glass pane or the end face of the strip placed against the internal face of the other glass pane .

Claim 20 (New): The insulating glazing panel as claimed in claim 13, wherein the fastener includes an adhesive of hot-melt type.

Claim 21 (New): The insulating glazing panel as claimed in claim 20, wherein the adhesive resists tear stresses of at least 0.45 MPa.

Claim 22 (New): The insulating glazing panel as claimed in claim 13, wherein a material forming the strip includes means for sealing with respect to the interior of the glazing panel.

Claim 23 (New): The insulating glazing panel as claimed in claim 13, wherein the strip has a buckling strength per unit length of at least 400 N/m.

Claim 24 (New): The insulating glazing panel as claimed in claim 13, wherein the strip includes, on one or both of its faces, functional elements formed in a material of the strip.